STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING AMENDED REPORT									
APPLI	1. WELL NAME and NUMBER CWU 792-21								
2. TYPE OF WORK DRILL NEW WELL REENTER P&A WELL DEEPEN WELL						CAT NATURAL BUTTES			
4. TYPE OF WELL Gas W	ell Coalb	ed Methane Well: NO			5. UNIT or COMMU	INITIZATION AGRE	EMENT NAME		
6. NAME OF OPERATOR	EOG Resou	rces, Inc.			7. OPERATOR PHO	NE 435 781-9111			
8. ADDRESS OF OPERATOR	East Highway 40	, Vernal, UT, 84078			9. OPERATOR E-Makaylene_	AIL _gardner@eogresourc	es.com		
10. MINERAL LEASE NUMBER (FEDERAL, INDIAN, OR STATE) UTU0336A		11. MINERAL OWNE FEDERAL IND	RSHIP IAN (STATE () FEE ()	12. SURFACE OWN	IERSHIP IDIAN (STATE)	FEE		
13. NAME OF SURFACE OWNER (if box 12	= 'fee')				14. SURFACE OWN	IER PHONE (if box 1	12 = 'fee')		
15. ADDRESS OF SURFACE OWNER (if box	12 = 'fee')				16. SURFACE OWN	IER E-MAIL (if box	12 = 'fee')		
(if box 12 = 'INDIAN')			MINGLE PRODUCT ONS ommingling Applicati	_	19. SLANT VERTICAL DIRECTIONAL HORIZONTAL				
20. LOCATION OF WELL	FO	OTAGES	QTR-QTR	SECTION	TOWNSHIP	RANGE	MERIDIAN		
LOCATION AT SURFACE	1626 FN	IL 1223 FWL	SWNW	21	9.0 S	23.0 E	S		
Top of Uppermost Producing Zone	1626 FN	1626 FNL 1223 FWL		21	9.0 S	23.0 E	S		
At Total Depth	1626 FN	1626 FNL 1223 FWL		21	9.0 S	23.0 E	S		
21. COUNTY UINTAH	EAREST LEASE LIN 306	ASE LINE (Feet) 23. NUMBER OF ACRES IN DRILLING UNIT 1440							
25. DISTANCE TO NEARES (Applied For Drilling or C				AME POOL	26. PROPOSED DEPTH MD: 6970 TVD: 6970				
27. ELEVATION - GROUND LEVEL		28. BOND NUMBER		29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLIC					
5071			NM2308	M2308 49-225					
		Aī	TTACHMENTS						
VERIFY THE FOLLOWING	ARE ATTACH	ED IN ACCORDAN	CE WITH THE UT	AH OIL AND	GAS CONSERVAT	ION GENERAL RU	JLES		
₩ WELL PLAT OR MAP PREPARED BY	LICENSED SUR	VEYOR OR ENGINEER	сом	COMPLETE DRILLING PLAN					
AFFIDAVIT OF STATUS OF SURFACE	OWNER AGRE	EMENT (IF FEE SURF	ACE) FORM) FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER					
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED)				TOPOGRAPHICAL MAP					
NAME Mary Maestas	TITL	E Regulatory Assistant		PHONE 303 8	324-5526				
SIGNATURE	SIGNATURE DATE 10/20/2009				_maestas@eogresourc	es.com			
API NUMBER ASSIGNED 43047507950000	АРРІ	ROVAL		Bol	Regill				
				Permit Manager					

API Well No: 43047507950000 Received: 10/20/2009

	Prop	oosed Hole, Casing, a	and Cement		
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)	
Surf	12.25	9.625	0	2300	
Pipe	Grade	Length	Weight		
	Grade J-55 ST&C	2300	36.0		

API Well No: 43047507950000 Received: 10/20/2009

	Prop	osed Hole, Casing, a	nd Cement		
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)	
Prod	7.875	4.5	0	6970	
Pipe	Grade	Length	Weight		
	Grade N-80 LT&C	6970	11.6		

CHAPITA WELLS UNIT 792-21 SW/NW, SEC. 21, T9S, R23E, S.L.B.&M.. UINTAH COUNTY, UTAH

1. & 2. ESTIMATED TOPS & ANTICIPATED OIL, GAS, & WATER ZONES:

FORMATION	TVD-RKB (ft)	Objective	Lithology	
Green River	1,623		Shale	
Mahogany Oil Shale Bed	2,328		Shale	
Wasatch	4,599	Primary	Sandstone	Gas
Chapita Wells	5,179	Primary	Sandstone	Gas
Buck Canyon	5,807	Primary	Sandstone	Gas
North Horn	6,401	Primary	Sandstone	Gas
KMV Price River	6,771		Sandstone	
TD	6,970			

Estimated TD: 6,970' or 200'± below TD Anticipated BHP: 3,805 Psig

- 1. Fresh Waters may exist in the upper, approximately 1,000 ft \pm of the Green River Formation, with top at about 2,000 ft \pm .
- 2. Cement isolation is installed to surface of the well isolating all zones by cement.

3. PRESSURE CONTROL EQUIPMENT:

Production Hole – 5000 Psig

BOP schematic diagrams attached.

4. CASING PROGRAM:

CASING	Hole Size	<u>Length</u>	<u>Size</u>	WEIGHT	<u>Grade</u>	Thread	Rating Collapse	Factor Burst	Tensile
Conductor	20"	40 – 60'	14"	32.5#	A252			1880 PSI	10,000#
Surface	12 ¼"	0' - 2,300' KB±	9-5/8"	36.0#	J-55	STC	2020 PSI	3520 Psi	394.000#
Production	7-7/8"	Surface - TD	4-1/2"	11.6#	N-80	LTC	6350 PSI	7780 Psi	233,000#
·									

Note: 12-1/4" surface hole will be drilled to a total depth of 200'± below the base of the Green River lost circulation zone and cased w/9-5/8" as shown to that depth. Drilled depth may be shallower or deeper than the 2300' shown above depending on the actual depth of the loss zone.

All casing will be new or inspected.

CHAPITA WELLS UNIT 792-21 SW/NW, SEC. 21, T9S, R23E, S.L.B.&M.. UINTAH COUNTY, UTAH

5. Float Equipment:

Surface Hole Procedure (0'- 2300'±)

Guide Shoe

Insert Float Collar (PDC drillable)

Centralizers: 1-5' above shoe, top of jts. #2 and #3 then every 5th joint to surface. (15 total)

Production Hole Procedure (2300'± - TD):

Float shoe, 1 joint casing, float collar and balance of casing to surface. 4-½", 11.6#, N-80 or equivalent marker collars or short casing joints to be placed at top of Price River and 400' above top of Wasatch. Centralizers to be placed 5' above shoe on joint #1, top of joint #2, and every 3rd joint to 400' above the top of primary objective. Thread lock float shoe, top and bottom of float collar, and top of 2nd joint.

6. MUD PROGRAM

Surface Hole Procedure (Surface - 2300'±):

Air/air mist or aerated water.

Production Hole Procedure (2300'± - TD):

Anticipated mud weight 9.5 – 10.5 ppg depending on actual wellbore conditions encountered while drilling.

2300'±-TD A closed mud system will be utilized. A bentonite gelled water mud system will be used to control viscosity w/PHPA polymer used for supplemental viscosity and clay encapsulation/inhibition. Water loss will be maintained at <15cc's using white starch or PAC. Bactericides will be used as needed. Anticipated pH will range from 9.0-10.0. Mud weight will be adjusted as necessary for well control. Deflocculants/thinners will be used as necessary to maintain mud quality. LCM sweeps will be utilized as necessary to control lost circulation and mud loss. CO2 contamination, if encountered, will be treated with lime and gypsum.

CHAPITA WELLS UNIT 792-21 SW/NW, SEC. 21, T9S, R23E, S.L.B.&M.. UINTAH COUNTY, UTAH

7. VARIANCE REQUESTS:

Reference: Onshore Oil and Gas Order No. 1
Onshore Oil and Gas Order No. 2 – Section E: Special Drilling Operations

- o EOG Resources, Inc. requests a variance to regulations requiring a straight run blooie line to be 100' in length. (Where possible, a straight run blooie line will be used).
- o EOG Resources, Inc. requests a variance to regulations requiring the blooie line to be 100' in length. To reduce location excavation, the blooie line will be approximately 75' in length.
- EOG Resources, Inc. requests a variance to regulations, during air drilling operations only, requiring dedusting equipment. Dust during air drilling operations is controlled by water mist.
- o EOG Resources, Inc. requests a variance to regulations, during air drilling operations only, requiring an automatic igniter or continuous pilot light on the blooie line. (Not required on aerated water system).
- o EOG Resources, Inc. requests a variance that compressors are located in the opposite direction from the blooie line a minimum of 100 feet from the well bore. (Air Compressors are rig mounted).

8. EVALUATION PROGRAM:

Cased-hole Logs: Cased-hole logs will be run in lieu of open-hole logs consisting of the following:

RST/CBL/CCL/VDL/GR

CHAPITA WELLS UNIT 792-21 SW/NW, SEC. 21, T9S, R23E, S.L.B.&M.. UINTAH COUNTY, UTAH

9. CEMENT PROGRAM:

Surface Hole Procedure (Surface - 2300'±):

Lead: 185 sks Class "G" cement with 16% Gel, 10 #/sx Gilsonite, 3% Salt, 2% CaCl₂, 3 lb/sx

GR3 ½ #/sx Flocele mixed at 11 ppg, 3.82 ft³/sk. yield, 23 gps water.

Tail: 207 sks Class "G" cement with 2% CaCl₂, ¼#/sk Flocele mixed at 15.6 ppg, 1.18 ft³/sk., 5.2 gps

water.

Top Out: As necessary with Class "G" cement with 2% CaCl₂, ¼#/sk Flocele mixed at 15.6 ppg,

1.18 ft³/sk., 5.2 gps water.

Note: Cement volumes will be calculated to bring lead cement to surface and tail cement to

500'above the casing shoe.

Production Hole Procedure (2300'± - TD)

Lead: 127 sks: Hi-Lift "G" w/12% D20 (Bentonite), 1% D79 (Extender), 5% D44

(Salt),0.2% D46 (Antifoam), 0.25% D112 (Fluid Loss Additive), 0.25 pps D29 (cello flakes)

mixed at 11.0 ppg, 3.91 ft³/sk., 24.5 gps water.

Tail: 500 sks: 50:50 Poz "G" w/ 2% D20 (Bentonite), 0.1% D46 (Antifoam), 0.075%

D13 (Retarder), 0.2% D167 (Fluid Loss Additive), 0.2% D65 (Dispersant), mixed at 14.1

ppg, 1.28 ft³/sk., 5.9gps water.

Note: The above number of sacks is based on gauge-hole calculation.

Lead volume to be calculated to bring cement to 200'± above 9-5/8" casing shoe. Tail volume to be calculated to bring cement to 400'± above top of Wasatch.

Final Cement volumes will be based upon gauge-hole plus 45% excess.

10. ABNORMAL CONDITIONS:

Surface Hole (Surface - 2300'±):

Lost circulation

Production Hole (2300'± - TD):

Sloughing shales, lost circulation and key seat development are possible in the Wasatch Formation.

CHAPITA WELLS UNIT 792-21 SW/NW, SEC. 21, T9S, R23E, S.L.B.&M.. UINTAH COUNTY, UTAH

11. STANDARD REQUIRED EQUIPMENT:

- A. Choke Manifold
- B. Upper and Lower Kelly Cock
- C. Stabbing Valve
- D. Visual Mud Monitoring

12. HAZARDOUS CHEMICALS:

No chemicals subject to reporting under SARA title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.


13. Air Drilling Operations:

- 1. Main Air Compressors are 1250 CFM 350 psi with 2000 psi Boosters and are rig mounted.
- 2. Secondary Air Compressors are 1170 CFM 350 psi with 2000 psi Boosters and are rig mounted.
- Minimum setting depth of conductor casing will be 60' GL or 10'± into competent formation, whichever is deeper, as determined by the EOG person in charge. Exceptions must be approved by an EOG drilling superintendent or manager.
- 4. The diameter of the diverter flow line will be a minimum of 10" to help reduce back pressure on the well bore during uncontrolled flow.
- 5. Rat and Mouse hole drilling will occur only after surface casing has been set and cemented.
- 6. EOG Resources, Inc. will use a properly maintained and lubricated stripper head.

(Attachment: BOP Schematic Diagram)


EOG RESOURCES 11" 5,000 PSI W.P. BOP CONFIGURATION

PAGE 1 OF 2



EOG RESOURCES CHOKE MANIFOLD CONFIGURATION W/ 5,000 PSI WP VALVES

PAGE 2 0F 2



Testing Procedure:

- 1. BOP will be tested with a professional tester to conform to Onshore Order #2.
- 2. Blind and Pipe rams will be tested to rated working pressure, 5,000 psi.
- 3. Annular Preventer will be tested to 50% working pressure, 2,500 psi. Casing will be tested to 0.22 psi / ft. or 1,500 psi. Not to exceed 70% of burst strength, whichever is greater.
- 4. All lines subject to well pressure will be tested to the same pressure as blind and pipe rams.
- 5. All BOPE specifications and configurations will meet Onshore Order #2 requirements.



Chapita Wells Unit 792-21 SWNW, Section 21, T9S, R23E Uintah County, Utah

SURFACE USE PLAN

The well pad is approximately 350 feet long with a 261-foot width, containing 2.10 acres more or less. The well access road is approximately 100 feet long with a 30-foot right-of-way, disturbing approximately .07 acre. New surface disturbance associated with the well pad and access road is estimated to be 2.17 acres.

1. EXISTING ROADS:

- A. See attached Plats showing directional reference stakes on location, and attached TOPO Map "B" showing access to location from existing roads.
- B. The proposed well site is located approximately 53.7 miles south of Vernal, Utah See attached TOPO Map "A".
- C. Refer to attached Topographic Map "A" showing labeled access route to location.
- D. Existing roads will be maintained and repaired as necessary. The portion of the existing access road not necessary to access the proposed location will be rehabbed.

2. PLANNED ACCESS ROAD:

- A. The access road will be approximately 100' in length; culverts will be installed on an as-needed basis. See attached Topo B.
- B. The access road has a 30-foot ROW w/18 foot running surface.
- C. Maximum grade of the new access road will be 8 percent.
- D. No turnouts will be required.
- E. Road drainage crossings shall be of the typical dry creek drainage crossing type.
- F. No bridges, or major cuts and fills will be required.
- G. The access road will be dirt surface.
- H. No gates, cattleguards, or fences will be required or encountered.

- I. A 30-foot permanent right-of-way is requested. No surfacing material will used.
- J. No additional storage areas will be needed for storing equipment, stockpiling, or vehicle parking.

All travel will be confined to existing access road rights-of-way.

New or reconstructed roads will be centerlined – flagged at time of location staking. Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, Fourth Edition and/or BLM Manual Section 9113 concerning road construction standards on projects subject to federal jurisdiction.

The road shall be constructed/upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Construction/upgrading shall include ditching, draining, graveling, crowning, and capping the roadbed as necessary to provide a well-constructed, safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 40-foot right-of-way will not be allowed. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the roadbed block the drainages. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around then avoided.

As operator, EOG Resources, Inc. shall be responsible for all maintenance on cattleguards, or gates associated with this oil and/or gas operation.

Traveling off the 30-foot right-of-way will not be allowed. The access road and associated drainage structures will be constructed and maintained in accordance with road guidelines contained in the joint BLM/USFS publication: Surface Operating Standards for Oil and Gas Exploration and Development, Fourth Edition, and/or BLM Manual Section 9113 concerning road construction standards on projects subject to federal jurisdiction. During the drilling and production phase of operations, the road surface and shoulders will be kept in a safe and useable condition and drainage ditches and culverts will be kept clear and free flowing.

An off-lease right-of-way is not required. The entire length of the proposed access road is located within Federal Lease UTU-0336A.

3. LOCATION OF EXISTING WELLS WITHIN A ONE-MILE RADIUS:

See attached TOPO map "C" for the location of wells within a one-mile radius.

4. LOCATION OF EXISTING AND/OR PROPOSED PRODUCTION FACILITIES:

A. On Well Pad

- 1. Production facilities will be set on location if the well is successfully completed for production. Facilities will consist of wellhead valves, combo separator-dehy unit with meter, two (2) 400-bbl or one (1) 300-bbl vertical tanks and attaching piping.
- 2. Gas gathering lines A 4" gathering line will be buried from dehy to the edge of the location.

B. Off Well Pad

1. No new off-pad pipeline will be required. The existing pipeline for the Chapita Wells Unit 691-21 will be used to transport gas from the proposed location.

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within 6 months of installation. All facilities will be painted with Carlsbad Canyon or Covert Green. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

5. LOCATION AND TYPE OF WATER SUPPLY:

- A. Water supply will be Bonanza Power Plant water source in Sec 26, T8S, R23E, Uintah County, UT (State Water Right # 49-225(A31368)).
- B. Water will be hauled by a licensed trucking company.
- C. No water well will be drilled on lease.

6. Source of Construction Materials:

- A. All construction material for this pipeline will be of native borrow and soil accumulated during the construction of the location.
- B. No mineral materials will be required.

7. METHODS OF HANDLING WASTE DISPOSAL:

A. METHODS AND LOCATION

- 1. Cuttings will be confined and dried in a cuttings pit. Dried cuttings shall be spread on the access road.
- 2. A portable toilet will be provided for human waste during the drilling and completion of the well. Disposal will be at the Vernal sewage disposal plant.

- 3. Burning will not be allowed. Trash and other waste material will be contained in a wire mesh cage and disposed of at the Uintah County Landfill.
- 4. Produced wastewater will be confined to a storage tank for a period not to exceed 90 days after initial production. After the 90 day period, the produced water will be contained in a tank on location and then disposed of at one of the following locations: Natural Buttes Unit 21-20B SWD, Ace Disposal, CWU 550-30N SWD CWU 2-29 SWD, Red Wash Evaporation Ponds 1, 2, 3, 4, 5, 6, or 7, or Coyote Evaporation Ponds 1, 2, 3, or 4, or White River Evaporation Ponds 1, or 2, or Hoss SWD Facility, right-of-way UTU 86010, UTU 897093 or EOG Resources, Inc. drilling operations (Chapita Wells Unit, Natural Buttes Unit & Stagecoach Unit).
- 5. All chemicals will be disposed of at an authorized disposal site. Drip pans and absorbent pads will be used on the drilling rig to avoid leakage of oil to the pit.
- B. Water from drilling fluids and recovered during testing operations will be disposed of by either natural or artificial evaporation methods, or by removed and disposed of at an authorized disposal site. Introduction of well bore hydrocarbons to the closed loop system will be avoided by flaring them off in the flare pit at the time of recovery.

The referenced well will be drilling utilizing a closed loop system. The closed loop system will be installed in a manner that preventing leaks, breaks, or discharge. Drill cutting will be contained in an area approximately 50' x 100'. The surface drill cuttings pile will be bermed and lined with bentonite. Drill cuttings will be dried and spread on location. More stringent protective requirements may be deemed necessary by the A.O.

EOG Resources, Inc. maintains a file, per 29 CFR 1910.1200 (g) containing current Material Safety Data Sheets (MSDS) for all chemicals, compounds, and/or substances which are used during the course of construction, drilling, completion, and production operations for this project. Hazardous materials (substances) which may be found at the site may include drilling mud and cementing products which are primarily inhalation hazards, fuels (flammable and/or combustible), materials that may be necessary for well completion/ stimulation activities such as flammable or combustible substances and acids/gels (corrosives). The opportunity for Superfund Amendments and Reauthorization Act (SARA) listed Extremely Hazardous Substances (EHS) at the site is generally limited to proprietary treating chemicals. All hazardous and EHS and commercial preparations will be handled in an appropriate manner to minimize the potential for leaks or spills to the environment.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completion of the well. Furthermore, extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will not be used, produced, stored, transported, or disposed of in association with the drilling, testing or completion of the well.

8. ANCILLARY FACILITIES:

None anticipated.

9. WELL SITE LAYOUT:

- A. Refer to attached well site plat for related topography cuts and fills and cross sections.
- B. Refer to attached well site plat for rig layout and soil material stockpile location as approved on On-site.
- C. Refer to attached well site plat for rig orientation, parking areas, and access road.

The proposed location will be drilled utilizing a closed loop system.

The stockpiled location topsoil will be stored in a location providing easy access for interim reclamation and protect of the topsoil. Upon completion of construction, the stockpiled topsoil from the location will be broadcast seeded with the approved seed mixture from this location and then walked down with a Caterpillar tractor.

Access to the well pad will be from the south.

The corners of the well pad will be rounded off as needed to minimize excavation.

10. Plans for Reclamation of the Surface:

A. Interim Reclamation (Producing Location)

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The portion of the location not needed for production facilities/operations will be reclaimed – See attached Figure #3. The reserve pit will be reclaimed within 90 days from the date of the well completion, or as soon as environmental conditions allow. Before any dirt takes place, the reserve pit must be completely dry and free of all foreign obstacles.

The stockpiled pit topsoil will then be spread over the pit area and broadcast seeded with the prescribed seed mixture for this location as authorized within EOG's reclamation plan filed September 29, 2009.

B. Dry Hole/Abandoned Location

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment and the BLM will attach the appropriate surface rehabilitation conditions of approval.

11. SURFACE OWNERSHIP:

Surface ownership of the proposed well site, access road, and pipeline route is as follows:

Bureau of Land Management

12. OTHER INFORMATION:

- A. EOG Resources, Inc. will inform all persons in the area who are associated with this project that they are subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator will immediately stop work that might further disturb such materials, and contact the Authorized Officer. Within five working days the Authorized Officer will inform the operator as to:
 - Whether the materials appear eligible for the National Register of Historic Places;
 - The mitigation measures the operator will likely have to undertake before the site can be used.
 - A time frame for the Authorized Officer to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the Authorized Officer are correct and that mitigation is appropriate.

If the operator wished, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the Authorized Officer will assume responsibility for whatever recordation and stabilization of the exposed materials that may be required. Otherwise, the operator will be responsible for mitigation costs. The Authorized Officer will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the Authorized Officer that required mitigation has been completed, the operator will then be allowed to resume construction.

- B. As operator, EOG Resources, Inc. will control noxious weeds along Right-of-Ways for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds will be obtained from the BLM administered land, a Pesticide Use proposal shall be submitted, and given approval, prior to the application or herbicides or other pesticides or possible hazardous chemicals.
- C. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on BLM lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)
- D. The drilling rig and ancillary equipment will be removed from the location prior to commencement of completion operations. Completion operations will be conducted utilizing a completion/workover rig.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice of Lessees. The operator is fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

Construction activity will not be conducted using frozen or saturated soils material or during periods when watershed damage is likely to occur.

If the existing access road, proposed access road, and proposed pad are dry during construction, drilling, and completion activities, water will be applied, as needed, to help facilitate compaction during construction and to minimize soil loss as a result of wind erosion.

A cultural resources survey was conducted and will be submitted by Montgomery Archaeological Consultants. A paleontological survey was conducted and submitted by Intermountain Paleo on 9/30/2008.

Additional Surface Stipulations:

None.

Page 8

LESSEE OR OPERATOR'S REPRESENTATIVE AND CERTIFICATION:

PERMITTING AGENT

Mary A. Maestas EOG Resources, Inc. 1060 East Highway 40 Vernal, UT 84078 (435) 781-9111

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

The operator or his/her contractor shall contact the BLM office at (435) 781-4400 forty-eight (48) hours prior to construction activities.


Page 9

CERTIFICATION:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by EOG Resources, Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Please be advised that EOG Resources, Inc. is considered to be the operator of the Chapita Wells Unit 792-21 Well, located in the SWNW, of Section 21, T9S, R23E, Uintah County, Utah; Federal land and minerals; and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond Coverage is under Bond # NM 2308.

October 20, 2009	
Date	Mary A. Maestas, Regulatory Assistant



₹

EOG RESOURCES, INC. CWU #792-21 SECTION 21, T9S, R23E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88: EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 0.3 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST: TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 12.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 1.7 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 1.9 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST: RIGHT AND PROCEED IN A SOUTHEASTERLY DIRECTION APPROXIMATELY 0.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY. THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 4.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST: TURN LEFT AND PROCEED IN A NORTHEASTERLY DIRECTION APPROXIMATELY 1.1 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE WEST: TURN LEFT AND PROCEED IN A NORTHWESTERLY, THEN SOUTHWESTERLY DIRECTION APPROXIAMTELY 0.4 MILES TO THE BEGINNING OF THE PROPOSED ACCESS ROAD RE-ROUTE TO THE NORTHWEST; FOLLOW ROAD FLAGS IN A NORTHWESTERLY DIRECTION APPROXIMATELY 100' TO THE #691-21 AND THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 53.7 MILES.

EOG RESOURCES, INC.

CWU #792-21

LOCATED IN UINTAH COUNTY, UTAH SECTION 21, T9S, R23E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHEASTERLY





PHOTO: VIEW OF EXISTING ACCESS


CAMERA ANGLE: NORTHWESTERLY





LOCATION					РНОТО
TAKEN BY: C.R.	DRAWN BY: S.L	. REV	ISED: 0	0-00-00	

















United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

October 23, 2009

Memorandum

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2009 Plan of Development Chapita Wells Unit

Uintah County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2009 within the Chapita Wells Unit, Uintah County, Utah.

API# WELL NAME LOCATION

(Proposed PZ Wasatch)

43-047-50795 CWU 792-21 Sec 21 T09S R23E 1626 FNL 1223 FWL 43-047-50797 CWU 4020-28 Sec 28 T09S R23E 1095 FSL 0752 FEL

(Proposed PZ MESA VERDE)

43-047-50796 CWU 1333-10 Sec 10 T09S R22E 2128 FSL 1217 FWL

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc: File - Chapita Wells Unit


Division of Oil Gas and Mining

Central Files Agr. Sec. Chron Fluid Chron

MCoulthard:mc:10-23-09

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED:	10/20/2009	API NO. ASSIGNED: 43047507950000
WELL NAME:	CWU 792-21	
OPERATOR:	EOG Resources, Inc. (N9550) PHONE NUMBER: 303 824-5526
CONTACT:	Mary Maestas	
PROPOSED LOCATION:	SWNW 21 090S 230E	Permit Tech Review:
SURFACE:	1626 FNL 1223 FWL	Engineering Review:
воттом:	1626 FNL 1223 FWL	Geology Review: ✓
COUNTY:	UINTAH	
LATITUDE:	40.02430	LONGITUDE: -109.33621
UTM SURF EASTINGS:	641977.00	NORTHINGS: 4431570.00
FIELD NAME:	NATURAL BUTTES	
LEASE TYPE:	1 - Federal	
LEASE NUMBER:	UTU0336A PROPOS	SED PRODUCING FORMATION(S): WASATCH-NORTH HORN
SURFACE OWNER:	1 - Federal	COALBED METHANE: NO
RECEIVED AND/OR REVIE	WED:	LOCATION AND SITING:
 PLAT		R649-2-3.
▶ Bond: FEDERAL - NM23	308	Unit: CHAPITA WELLS
Potash		R649-3-2. General
Oil Shale 190-5		
Oil Shale 190-3		R649-3-3. Exception
Oil Shale 190-13		✓ Drilling Unit
✓ Water Permit: 49-225		Board Cause No: Cause 179-8
RDCC Review:		Effective Date: 8/10/1999
Fee Surface Agreeme	nt	Siting: Suspends General Siting
Intent to Commingle		R649-3-11. Directional Drill
Commingling Approved	l 	
Comments: Presite Co	ompleted	
Stipulations: 4 - Feder	ral Approval - dmason	



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

Permit To Drill

Well Name: CWU 792-21 **API Well Number:** 43047507950000

Lease Number: UTU0336A **Surface Owner:** FEDERAL **Approval Date:** 10/27/2009

Issued to:

EOG Resources, Inc., 1060 East Highway 40, Vernal, UT 84078

Authority:

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of Cause 179-8. The expected producing formation or pool is the WASATCH-NORTH HORN Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

Duration:

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

Conditions of Approval:

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

Notification Requirements:

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

• Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please leave a voicemail message if not available) OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at https://oilgas.ogm.utah.gov

Reporting Requirements:

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) due within 5 days of spudding the well
- Monthly Status Report (Form 9) due by 5th day of the following calendar month

API Well No: 43047507950000

- Requests to Change Plans (Form 9) due prior to implementation
- Written Notice of Emergency Changes (Form 9) due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) due prior to implementation
- Report of Water Encountered (Form 7) due within 30 days after completion
- Well Completion Report (Form 8) due within 30 days after completion or plugging

Approved By:

For Gil Hunt

Associate Director, Oil & Gas

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MININ	NG	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0336A
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposition-hole depth, reenter plu DRILL form for such proposals.	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS		
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: CWU 792-21		
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047507950000
3. ADDRESS OF OPERATOR: 1060 East Highway 40 , Verna	PHONE 435 781-9111	NUMBER: Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1626 FNL 1223 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWNW Section: 21	IP, RANGE, MERIDIAN: 1 Township: 09.0S Range: 23.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION MPLETED OPERATIONS. Clearly show all perting respectfully requests the APD for extended for one year.	ent details including dates, depths, voor the referenced well be	•
NAME (PLEASE PRINT) Shaun Moxcey	PHONE NUMBER 303 824-5586	TITLE Sr. Regulatory Administrator	
SIGNATURE N/A	JUJ 024-JJ00	DATE 10/12/2010	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047507950000

API: 43047507950000 **Well Name:** CWU 792-21

Location: 1626 FNL 1223 FWL QTR SWNW SEC 21 TWNP 090S RNG 230E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 10/27/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

require revi	sion. Following is a cl	necklist of some item	s related to the a	pplication, wh	nich should be verified.
	ated on private land, ed? 🔵 Yes 📵 No		anged, if so, has	the surface a	greement been
	any wells been drilled requirements for this			hich would at	fect the spacing or
	nere been any unit or s proposed well?		ıt in place that co	uld affect the	permitting or operation
	there been any chang the proposed locatio		te including owne	rship, or right	of- way, which could
• Has tl	ne approved source o	f water for drilling ch	anged? 🔵 Yes	No	
	there been any physi je in plans from what				<u>-</u>
• Is bor	nding still in place, w	nich covers this prop	osed well? 🌘 Y	es 🔵 No 😈	oproved by the tah Division of Gas and Mining
	Shaun Moxcey		10/12/2010		
Title:	Sr. Regulatory Adminis	strator Representing:	EOG RESOURCES,	INC. Date:	October 13, 2010
	<u> </u>	-	•	P	00 00

Sundry Number: 19017 API Well Number: 43047507950000

	STATE OF UTAH				FORM 9
	DIVISION OF OIL, GAS, AND M		3	5.LEAS	E DESIGNATION AND SERIAL NUMBER: 336A
SUNDF	SUNDRY NOTICES AND REPORTS ON WELLS				NDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deep igged wells, or to drill horizontal laterals				or CA AGREEMENT NAME: ITA WELLS
1. TYPE OF WELL Gas Well					L NAME and NUMBER: 792-21
2. NAME OF OPERATOR: EOG Resources, Inc.					NUMBER: 7507950000
3. ADDRESS OF OPERATOR: 1060 East Highway 40 , Verna			UMBER: ext		.D and POOL or WILDCAT: RAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1626 FNL 1223 FWL				COUNT	
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWNW Section: 21	(P, RANGE, MERIDIAN: L Township: 09.0S Range: 23.0E Meridia	n: S		STATE: UTAH	
11. CHE	CK APPROPRIATE BOXES TO INDIC	ATE N	ATURE OF NOTICE, REPOR	T, OR OT	HER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
_	ACIDIZE		ALTER CASING		CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
9/30/2011	☐ CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	s \Box	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN		FRACTURE TREAT		NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE		PLUG AND ABANDON		PLUG BACK
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON
	☐ TUBING REPAIR		VENT OR FLARE		WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF		SI TA STATUS EXTENSION	/	APD EXTENSION
Report Date:	□ WILDCAT WELL DETERMINATION		OTHER	ОТН	IER:
12 DESCRIPE BRODOSED OF CO	MPLETED OPERATIONS. Clearly show all p				,
	respectfully requests the AF extended for one yea	D for			etc.
	extended for one yea	٠.			Approved by the
					Utah Division of
				Oi	l, Gas and Mining
				Date:	10/13/2011
			'	P.	Millio m
				By: $\overline{\mathcal{T}}$	rober of the
					373
NAME (DI 5405 BETTE)	BUANE MINTE	D			
NAME (PLEASE PRINT) Michelle Robles	PHONE NUMBE 307 276-4842	K	TITLE Regulatory Assistant		
SIGNATURE N/A			DATE 9/30/2011		

Sundry Number: 19017 API Well Number: 43047507950000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047507950000

API: 43047507950000 **Well Name:** CWU 792-21

Location: 1626 FNL 1223 FWL QTR SWNW SEC 21 TWNP 090S RNG 230E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 10/27/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

 If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No

Signature: Michelle Robles **Date:** 9/30/2011

Title: Regulatory Assistant Representing: EOG RESOURCES, INC.

Sundry Number: 30020 API Well Number: 43047507950000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0336A	
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 792-21
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047507950000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000		PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1626 FNL 1223 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 21 Township: 09.0S Range: 23.0E Meridia	an: S	STATE: UTAH
11. CHECH	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly show all nc. respectfully requests the All well be extended for one year	PD for the referenced	CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL ✓ APD EXTENSION OTHER: DEPTHS, VOLUMES, etc. Approved by the Utah Division of Oil, Gas and Mining Date: September 18, 2012 By:
NAME (PLEASE PRINT)	PHONE NUMBER		
Vail Nazzaro SIGNATURE N/A	303 824-5590	Sr. Regulatory Assistant DATE 9/18/2012	

Sundry Number: 30020 API Well Number: 43047507950000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047507950000

API: 43047507950000 **Well Name:** CWU 792-21

Location: 1626 FNL 1223 FWL QTR SWNW SEC 21 TWNP 090S RNG 230E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 10/27/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No

Signature: Vail Nazzaro Date: 9/18/2012

Title: Sr. Regulatory Assistant Representing: EOG RESOURCES, INC.

Sundry Number: 43649 API Well Number: 43047507950000

STATE OF UTAH			FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0336A	
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 792-21
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047507950000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	0 N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1626 FNL 1223 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSI Qtr/Qtr: SWNW Section:	HIP, RANGE, MERIDIAN: 21 Township: 09.0S Range: 23.0E Merio	dian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly show and concern the concern of the	APD for the referenced	CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL ✓ APD EXTENSION OTHER: Depths, volumes, etc. Approved by the Utah Division of Oil, Gas and Mining Date: October 17, 2013 By:
NAME (PLEASE PRINT)	PHONE NUMB		
Vail Nazzaro SIGNATURE	303 824-5590	Sr. Regulatory Assistant DATE A0(40)(2040)	
N/A		10/10/2013	

Sundry Number: 43649 API Well Number: 43047507950000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047507950000

API: 43047507950000 Well Name: CWU 792-21

Location: 1626 FNL 1223 FWL QTR SWNW SEC 21 TWNP 090S RNG 230E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 10/27/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

 If located on private land, has the owners Yes No 	ship changed, if so, has the surface agreement been updated? 🔘
Have any wells been drilled in the vicinit requirements for this location? Yes	y of the proposed well which would affect the spacing or siting No
Has there been any unit or other agreem proposed well? Yes No	ents put in place that could affect the permitting or operation of thi
Have there been any changes to the acceproposed location? Yes No	ess route including ownership, or rightof- way, which could affect th
• Has the approved source of water for dri	ling changed? 🔘 Yes 📵 No
 Have there been any physical changes to plans from what was discussed at the on 	the surface location or access route which will require a change in site evaluation? (Yes (No
• Is bonding still in place, which covers thi	s proposed well? 🃵 Yes 🔘 No
nature: Vail Nazzaro Dat	e: 10/10/2013

Sig

Title: Sr. Regulatory Assistant Representing: EOG RESOURCES, INC.

Sundry Number: 56602 API Well Number: 43047507950000

STATE OF UTAH			FORM 9
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0336A
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 792-21
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047507950000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	0 N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1626 FNL 1223 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSI Qtr/Qtr: SWNW Section:	HIP, RANGE, MERIDIAN: 21 Township: 09.0S Range: 23.0E Meri	dian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
✓ NOTICE OF INTENT	ACIDIZE	ALTER CASING	CASING REPAIR
Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
10/10/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
I .	COMPLETED OPERATIONS. Clearly show and respectfully requests the well be extended for one year.	APD for the referenced	Approved by the Wæto⊅eri≤i4n2014 Oil, Gas and Mining Date: By:
NAME (PLEASE PRINT) Donna J Skinner	PHONE NUMB 303 262-9467	ER TITLE Sr. Regulatory Assistant	
SIGNATURE	222 27 272	DATE	
N/A		10/10/2014	

Sundry Number: 56602 API Well Number: 43047507950000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047507950000

API: 43047507950000 **Well Name:** CWU 792-21

Location: 1626 FNL 1223 FWL QTR SWNW SEC 21 TWNP 090S RNG 230E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 10/27/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of thi proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? (Yes (No
• Has the approved source of water for drilling changed? Yes No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
natura: Donna I Skinnor Data: 10/10/2014

Signature: Donna J Skinner Date: 10/10/2014

Title: Sr. Regulatory Assistant Representing: EOG RESOURCES, INC.

Sundry Number: 65915 API Well Number: 43047507950000

STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0336A	
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 792-21
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047507950000
3. ADDRESS OF OPERATOR: 1060 East Highway 40, Ve		PHONE NUMBER: 31-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1626 FNL 1223 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 21 Township: 09.0S Range: 23.0E Merid	ian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
9/2/2015	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
l .	COMPLETED OPERATIONS. Clearly show a nc. respectfully requests the A well be extended for one ye	APD for the referenced	·
NAME (PLEASE PRINT) Kaylene Gardner	PHONE NUMBE 435 781-9111	R TITLE Regulatory Administrator	
SIGNATURE N/A		DATE 9/2/2015	

Sundry Number: 65915 API Well Number: 43047507950000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047507950000

API: 43047507950000 Well Name: CWU 792-21

Location: 1626 FNL 1223 FWL QTR SWNW SEC 21 TWNP 090S RNG 230E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 10/27/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? (Yes (No
• Has the approved source of water for drilling changed? Yes No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Kaylene Gardner Date: 9/2/2015

Sig

Title: Regulatory Administrator Representing: EOG RESOURCES, INC.

Sundry Number: 73864 API Well Number: 43047507950000

STATE OF UTAH			FORM 9
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0336A
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 792-21
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047507950000
3. ADDRESS OF OPERATOR: 600 17th Street Ste 1000N	, Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1626 FNL 1223 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNS	HIP, RANGE, MERIDIAN: 21 Township: 09.0S Range: 23.0E Me	ridian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
8/22/2016	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER
40 DECODINE DRODOGED OD		United to the state of the stat	Letter de la constant
I .	COMPLETED OPERATIONS. Clearly show nc. respectfully requests the well be extended for one y	APD for the referenced	Approved by the Utugusiv230r2016
			Oil, Gas and Mining
			Date:
			By: Daggill
NAME (PLEASE PRINT)	PHONE NUM		
Kristen Sheehan	303 262-9931	Assistant Regulatory	
SIGNATURE N/A		DATE 8/22/2016	

Sundry Number: 73864 API Well Number: 43047507950000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047507950000

API: 43047507950000 Well Name: CWU 792-21

Location: 1626 FNL 1223 FWL QTR SWNW SEC 21 TWNP 090S RNG 230E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 10/27/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- milg is a silverment of some name is an approximation, miles and all the solutions
• If located on private land, has the ownership changed, if so, has the surface agreement been updated? — Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? (Yes (No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Kristen Sheehan Date: 8/22/2016

Sig

Title: Assistant Regulatory Representing: EOG RESOURCES, INC.